| Sub | stitute for form 1449A/PTO | | | Complete if Known | | | |
|-----------------------------------|----------------------------|-----|------|------------------------|--------------------|--|--|
| Obbodicio foi foin 1443/4/10 | | | | Application Number | 10/670,162 | | |
| IN | FORMATION DIS | CLC | SURE | Filing Date | September 23, 2003 | | |
| S | TATEMENT BY A | PPL | CANT | First Named Inventor | PAVLOVSKAIA, ELENA | | |
| | | | | Art Unit | 2123 | | |
| (Use as many sheets as necessary) | | | | Examiner Name | Ayal I. Sharon | | |
| Sheet | 1 | of | 7 | Attorney Docket Number | 018563-004620US | | |

| | | · · · · · · · · · · · · · · · · · · · | U.S. PATENT DO | CUMENTS | |
|-----------------------|--------------|--|--------------------------------|--|--|
| Examinor Initials* | Cite No.1 | Document Number Number Kind Code ^{2 (Filmonn)} . | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Clied Document | Pagas, Columns, Unes, Where Relevant Passages or Relevant Figures Appear |
| /AS/ | AA | US-3,407,500 | 10-29-1968 | Kesling | |
| /AO/ | AB | US-3,600,808 | 08-24-1971 | Reeve | |
| | AC | US-3,683,502 | 08-15-1972 | Wallshein | |
| | AD | US-3,738,005 | 06-12-1973 | Cohen | |
| | AE | US-3,922,786 | 12-02-1975 | Levin | |
| | AF | US-3,983,628 | 10-05-1976 | Acevedo | |
| | AG | US-4,253,838 | 03-03-1981 | Coles et al. | |
| | АН | US-4,324,547 | 04-13-1982 | Arcan et al. | |
| | Al | US-4,500,294 | 02-19-1985 | Lewis | |
| | AJ | US-4,526,540 | 07-02-1985 | Dellinger | |
| | AK | US-4,575,330 | 03-11-1986 | Hull . | |
| | AL | US-4,591,341 | 05-27-1986 | Andrews | |
| | AM | US-4,609,349 | 09-02-1986 | Cein | |
| | AN | U\$-4,664,626 | 05-12-1987 | Kesling . | |
| | AO | US-4,676,747 | 06-30-1987 | Kesling | |
| | AP | US-4,836,778 | 06-06-1989 | Baumrind et al. | |
| | AQ | US-4,850,865 | 07-25-1989 | Napolitano | |
| | AR | US-4,877,398 | 10-31-1989 | Kesling | |
| | AS | US-4,880,380 | 11-14-1989 | Martz | ······································ |
| | ΑT | US-4,889,238 | 12-28-1989 | Batchelor | |
| | ΑŬ | US-4,890,608 | 01-02-1990 | Steer | |
| | ΑV | US-4,935,635 | 06-19-1990 | O'Harra | |
| | AW | US-4,941,826 | 07-17-1990 | Loran et al. | · |
| | ΑX | US-4,983,334 | 01-08-1991 | Adell | |
| | ΑY | US-5,125,832 | 06-30-1992 | Kealing | |
| | AZ | US-5,130,064 | 07-14-1992 | Smalley | |
| | BA | US-5,145,364 | 09-08-1992 | Martz et el. | |
| i | BB | US-5,176,517 | 01-05-1993 | Truax | |
| | BC | US-5,328,382 | 07-12-1994 | Watson et al. | |
| | BD | US-5,440,326 | 08-08-1995 | Quinn | |
| | BE | US-5,528,735 | 06-18-1996 | Strasnick et al. | |
| | BF | US-5,562,448 | 10-08-1996 | Mushabac | |
| | BG | US-5,814,075 | 03-25-1997 | Andre | |
| V | ВН | US-5,621,648 | 04-15-1997 | Crump | |
| /AS/ | BI | US-5,645,420 | 07-08-1997 | Bergersen | |

| Examiner Signature /Ayal Sharon/ | Date Considered | 11/14/2007 |
|----------------------------------|--------------------|------------|
|----------------------------------|--------------------|------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² Kind Codes of U.S. Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the Indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached. 6 1027370 v1

| Substitute for form 1449A/PTO | | | Complete If Known | | |
|-----------------------------------|------------------------|-----------------------------------|--|---|--|
| | | | Application Number | 10/670,162 | |
| FORMATION | DISCLO | SURE | Filing Date | September 23, 2003 | |
| STATEMENT BY APPLICANT | | | First Named Inventor | PAVLOVSKAIA, ELENA | |
| | ٠ | | Art Unit | 2123 | |
| (Use as many sheets as necessary) | | | Examiner Name | Ayal I. Sharon | |
| 2 | of | 7 | Attomey Docket Number | 018563-004620US | |
| | FORMATION ATEMENT B | FORMATION DISCLO ATEMENT BY APPLI | FORMATION DISCLOSURE ATEMENT BY APPLICANT (Use as many sheets as necessary) | Application Number Filing Date First Named Inventor Art Unit (Use as many sheets as necessary) Application Number Filing Date First Named Inventor Art Unit Examiner Name | |

| Examiner | Cite | Dogument Number | U.S. PATENT DO Publication Date | Name of Patentee or | Pages, Columns, Lines, Where |
|-----------|------|---|----------------------------------|-----------------------------|---|
| Initials* | No.1 | Document Number Number Kind Code ^{2 (Filtrown)} | MM-DD-YYYY | Applicant of Cited Document | Relevant Passages or Relevant Figures Appear |
| /AS/ | BJ | US-5,692,894 | 12-02-1997 | Schwartz et al. | |
| 1 | BK | US-5,725,376 | 03-10-1998 | Polrier | |
| 1 | BL | US-5,725,378 | 03-10-1998 | Wang | |
| | ВМ | US-5,742,700 | 04-21-1998 | Yoon et al. | |
| | BN | US-5,799,100 | 08-25-1998 | Clarke et al. | |
| | во | US-5,800,174 | 09-01-1998 | Andersson | |
| | BP | US-5,823,778 | 10-20-1998 | Schmitt et al. | |
| | BQ | US-5,848,115 | 12-08-1998 | Little et al. | |
| | BR | US-5,857,853 | 01-12-1999 | van Nifterick et al. | |
| | BS | US-5,866,058 | 02-02-1999 | Batchelder et al. | |
| | BT | US-5,879,158 | 03-09-1999 | Doyle et al. | يمورانا ويبرين سنخطوا الإراد الليث وعيرا سازتواه بالبيد ويساد المبسوب |
| | BU | US-5,880,961 | 03-09-1999 | Crump | |
| | BV | US-5,880,962 | 03-09-1999 | Andersson et al. | |
| | BW | US-5,934,288 | 08-10-1999 | Avila et al. | |
| | BX | US-5,957,686 | 09-28-1999 | Anthony | |
| | BY | US-5,964,587 | 10-12-1999 | Sato | |
| | BZ | US-5,971,764 | 10-26-1999 | Sondhi et al. | |
| | CA | US-6,062,861 | 05-16-2000 | Andersson | |
| Ī | СВ | US-6,068,482 | 05-30-2000 | Snow | |
| | cc | US-6,099,314 | 08-08-2000 | Kopelman et al. | |
| | CD | US-6,123,544 | 09-26-2000 | Cleary | |
| | CE | US-6,152,731 | 11-28-2000 | Jordan et al. | |
| | CF | US-6,183,248 | 02-08-2001 | Chisti et al. | |
| | CG | US-6,190,165 | 02-20-2001 | Andreiko et al. | |
| | СН | US-6,217,325 | 04-17-2001 | Chisti et al. | |
| | CI | US-6,309,215 | 10-30-2001 | Phan et al. | |
| | ದ | US-6,322,359 | 11-27-2001 | Jordan et al. | |
| | СК | US-6,382,975 | 05-07-2002 | Poirier | |
| | CL | US-6,398,548 | 06-04-2002 | Muhammad et al. | |
| | СМ | U\$-6,402,707 | 06-11-2002. | Ernst | |
| | CN | US-6,482,298 | 11-19-2002 | . Bhatnagar | |
| | СО | US-6,524,101 | 02-25-2003 | Phan et al. | |
| V/ | CP | US-6,554,611 | 04-29-2003 | Chishti et al. | |
| - | CQ | US-6,572,372 | 06-03-2003 | Phan et al. | |
| /AS/ | CR | US-8,629,840 | 10-07-2003 | Chishtl et al. | |

| Examiner Signature | /Ayal Sharon/ | Date Considered | 11/14/2007 |
|-----------------------|---------------|--------------------|------------|
|-----------------------|---------------|--------------------|------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional).² Kind Codes of U.S. Petent Documents at www.usoto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached. 61027370 v1

| Su | bstitute for form 1449A/PTO | | | Complete if Known | | | |
|-------|-----------------------------|------------------|------|------------------------|--------------------|--|--|
| | | | | Application Number | 10/670,162 | | |
| 1) | NFORMATION DIS | CLO | SURE | Filing Date | September 23, 2003 | | |
| S | STATEMENT BY A | PL | CANT | First Named Inventor | PAVLOVSKAIA, ELENA | | |
| | | | | Art Unit | 2123 | | |
| • | (Use as many sheets as n | 9 C 98887 | y) | Examiner Name | Ayal I. Sharon | | |
| Sheet | 3 | of - | 7 | Attorney Docket Number | 018563-004620US | | |

| Examiner Initials* | Cite No.1 | Document Number | Publication Date MM-DD-YYYY | Name of Palentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant |
|-----------------------|--------------|---|--------------------------------|--|---|
| | | Number Kind Code ^{2 (f Anoun)} | | 177 | Figures Appear |
| /AS/ | CS | US-6,705,863 | 03-16-2004 | Phan et al. | |
| 1 | CT | US-6,722,880 | 04-20-2004 | Chishti et al. | |
| | CU | 2002/0006597 | 01-17-2002 | Andreiko et al. | |
| | CV | 2003/0224311 | 12-04-2003 | Cronauer | |
| | CW | 2003/0009262 A1 | 01-09-2003 | Pavlovskeia et al. | |
| | СХ | 2003/0139834 A1 | 07-24-2003 | Nikolskiy et al. | |
| 1/ | CŸ | 2004/0128010 A1 | 07-01-2004 | Paviovskala et al. | |
| V | CZ | 2005/0055118 A1 | 03-10-2005 | Nikolskiy et al. | |
| /AS/ | DA | RE 35169 | 03-05-1996 | Lemchen et al. | |

| | | | | | FOREIGN | PATENT DOCL | JMENTS | | |
|-----------------------|--------------|-------------------------|--|---------------------|--|---|---------------------------------------|---------------------------------------|----------|
| Examiner Initials* | Cite No.1 | Foreign Patent Document | | Publication Date | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages | ⊤ 6 | | |
| | | | Country Code ³ | Number ⁴ | Kind Code ⁵ (if known) | 101107-00-1111 | Applicant of Once Decarners | or Relevant Figures Appear | |
| /A: | S/ | DB | AU | 517102 | | 07-09-1981 | Hito Suyehiro | | |
| | | DC | AU | 3031677 | | 05-10-1979 | Hito Suyehiro | | |
| | | DD | AU | 5598894 | | 08-08-1994 | Ormco Corp. | | |
| | | DE | CA | 1121955 | | 04-20-1982 | Suyehiro Hito | | |
| | | DF | DE | 2749802 | | 05-11-1978 | Suyehiro Hito | | |
| | | DG | DE | 69327661 | | 07-20-2000 | Ormco Corp. | | I |
| | | DH | EP | 0667753 | | 08-23-1995 | Ormco Corp. | | |
| | ·· | DI | ES | 483897 | | 01-01-1980 | Hito Suyehiro | | |
| | | DJ | GB | 1550777 | | 08-22-1979 | Hito Suyehiro | | |
| 1 | / | DK | JР | 04-028359 | | 01-30-1992 | Mitsubishi Petrochemical Co. | · · · · · · · · · · · · · · · · · · · | |
| V | | DL | JP | 53-058191 | | 05-25-1978 | Yoshli | | |
| /A | S/ | DM | JР | 08-508174 | | 09-03-1996 | Ormco Corp | | |
| | | · | | * | | | | | |
| | ********** | | ······································ | | | | | | |
| | | | | | 1 . | | | | |
| | | h | | | | | · · · · · · · · · · · · · · · · · · · | | |
| | · · | | | | | | | | <u> </u> |

| Examiner Signature /Ayal Sharon/ | Date Considered | 11/14/2007 |
|----------------------------------|--------------------|------------|
|----------------------------------|--------------------|------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). Kind Codes of U.S. Patent Documents at www.usoto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Mind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language Translation is attached.

| Substitute | for form 1449B/PTO | | | Complete If Known | | |
|------------|--------------------|------------------|------|------------------------|--------------------|--|
| | | | | Application Number | 10/670,162 | |
| INFO | RMATION | DISCLOS | SURE | Filing Date | September 23, 2003 | |
| STA | TEMENT B | Y APPLIC | ANT | First Named Inventor | PAVLOVSKAIA, ELENA | |
| | | | | Art Unit | 2123 | |
| | (Use as many shee | ts as necessary) | | Examiner Name | Ayal I. Sharon | |
| Sheet | 4 | of | 7 | Attorney Docket Number | 018563-004620US | |

| | | | NON PATENT LITERATURE DOCUM | IENTS · | | | | | |
|-----------------------|---|--------------|--|--------------------------|--|-----|--|--|--|
| | uminer tials * | Cite No.1 | Include name of the author (In CAPITAL LETTERS), title of the a magazine, journal, serial, symposium, catalog, etc.), date, pag and/or country where pu | ge(s), volume-ls: | propriate), title of the Item (book, sue number(s), publisher, city | T 2 | | | |
| /A | /AS/ DI | | ALCANIZ, et al., "An Advanced System for the Simulation and Planning of Orthodontic Treatments," Karl Heinz Hohne and Ron Kikinis (eds.), Visualization in Biomedical Computing, 4th Int'l. Conf., VBC '96, Hamburg, Germany, September 22-25, 1996, Springer-Verlag, pp. 511-520. | | | | | | |
| | *************************************** | DO | "Important Tip About Wearing the Red White & Blue Ad Orthodontic Appliances-Pro Lab, 1 page. | ctive Clear Ri Undate | etainer System," Allesee | | | | |
| | | DP | "The Choice Is Clear: Red, White & Blue The Simp Allesee Orthodontic Appliances-Pro Lab product inform http://ormco.com/aoa/appliancesservices/RWB/docto | nation for doc | tors, | | | | |
| ••••• | | DQ | "The Choice is Clear: Red, White & Blue The Simple, Affordable, No-Braces Treatment," Allesee Orthodontic Appliances-Pro Lab product information for patients, http://ormco.com/aoa/appliancesservices/RWB/patients.html , 2 pages (May 19, 2003). | | | | | | |
| | | DR | "The Choice is Clear: Red, White & Blue The Simple, Affordable, No-Braces Treatment," Allesee Orthodontic Appliances-Pro Lab product Information, 6 pages (2003). | | | | | | |
| | ••••••• | DS | "The Red, White & Blue Way to Improve Your Smile!" / product information for patients, 2 pages. | Or 9 | ated | | | | |
| | ************ | DT | 'You May Be A Candidate For This Invisible No-Braces Appliances-Pro Lab product information for patients, 2 | | Allesee Orthodontic | | | | |
| ********** | | DU | ANDREWS, The Six Keys to Optimal Occlusion Straigl | ht Wire, Chap | oter 3, pp 13-24. Undated | | | | |
| | | DV | BARTELS, et al., An Introduction to Splines for Use in Modeling, Morgan Kaufmann Publishers, pp. 422-425 (| Computer Gr (1987). | aphics and Geometric | | | | |
| \ | / | DW | BIOSTAR OPEATION & TRAINING MANUAL. Great L Drive, Tonawanda, New York. 14150-5890. 20 pages to | | ontics, Ltd. 199 Fire Tower Undaked | | | | |
| | /AS/ | DX | BLU, et al., "Linear interpolation revitalized", IEEE Trar 2004). | ns. Image Pro | ю., 13(5):710-719 (May | | | | |
| Examiner Signature | | | /Ayal Sharon/ | Date Considered | 11/14/2007 | | | | |

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.

| Substitut | Substitute for form 1449B/PTO | | | Complete if Known | | |
|-----------|-------------------------------|-------------------|------|------------------------|--------------------|--|
| | | | • | Application Number | 10/670,162 | |
| INFO | DRMATION | DISCLOS | SURE | Filing Date | September 23, 2003 | |
| STA | STATEMENT BY APPLICANT | | | First Named Inventor | PAVLOVSKAIA, ELENA | |
| | | | | Art Unit | 2123 | |
| | (Use as many she | ets as necessary) | | Examiner Name | Ayal I. Sharon | |
| Sheet | 5 | of | 7 | Attorney Docket Number | 018563-004620US | |

| | 1 | NON PATENT LITERATURE DOCUMENTS | _ |
|------------------------|--------------------------|--|----|
| Examiner Initials * | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T |
| /AS/ D | | BOYD et al., "Three Dimensional Diagnosis and Orthodontic Treatment of Complex Malocclusions With the Invisalign Appliance," Semin. Orthod., 7(4):274-293 (December 2001). | |
| | DZ | BURSTONE (interview), "Dr. Charles J. Burstone on The Uses of the Computer In Orthodontic Practice (Part 1)," J. Clin. Orthod., 13(7):442-453 (July 1979). | |
| | EA | Cardinal Industrial Finishes, Powder Coatings information posted at http://www.cardinalpaint.com on Aug. 25, 2000, 2 pages. | |
| | | DENT-X posted on 09/24/98 at httm , 6 pages. |][|
| | EC | DuraClear [™] product information, Allesee Orthodontic Appliances-Pro Lab, 1 page. | [|
| | ED | English translation of Japanese Lald-Open Publication No. 63-11148 to Inventor T. Ozukuri (Laid-Open on January 18, 1998) pp. 1-7. | |
| | EE | GOTTLEIB <i>et al.</i> , "JCO Interviews Dr. James A. McNamura, Jr., on the Frankel Appliance: Part 2: Clinical Management, " <i>J. Clin. Orthod.</i> , 16(6):390-407 (June 1982). | |
| | | HIGHBEAM RESEARCH, "Simulating Stress Put on Jaw," Tooling & Production [online], November 1996, pp. 1-2, retrieved from the Internet on 11/05/2004, URL http://static.highbeam.com/t/toolingampproduction/november011996/simulatingstressputonja">http://static.highbeam.com/t/toolingampproduction/november011996/simulatingstressputonja">http://static.highbeam.com/t/toolingampproduction/november011996/simulatingstressputonja">http://static.highbeam.com/t/toolingampproduction/november011996/simulatingstressputonja">http://static.highbeam.com/t/toolingampproduction/november011996/simulatingstressputonja | |
| | EG | HIKAGE, "Integrated Orthodontic Management System for Virtual Three-Dimensional Computer Graphic Simulation and Optical Video Image Database for Diagnosis and Treatment Planning", <i>Journal of Japan Orthodontic Society</i> , February 1987, English translation, pp. 1-38, Japanese version, 46(2), pp. 248-269 (60 pages total). | |
| /AS/ | | KOCHANEK, "Interpolating Splines with Local Tension, Continuity and Bias Control," Computer Graphics, 18(3):33-41 (July 1984). | |

| | | | |
|-----------------------|---------------|--------------------|-------------|
| Examiner Signature | /Ayal Sharon/ | Date Considered | 11/14/2007 |

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant,

Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

| Substitut | Substitute for form 1449B/PTO | | | Complete if Клоwл | | |
|-----------|-------------------------------|-------------------|-----|------------------------|--------------------|--|
| | • | | | Application Number | 10/670,162 | |
| INFO | PRMATION | DISCLOS | URE | Filing Date | September 23, 2003 | |
| STA | STATEMENT BY APPLICANT | | | First Named Inventor | PAVLOVSKAIA, ELENA | |
| | | | | Art Unit | 2123 | |
| | (Use as many she | ets as necessary) | | Examiner Name | Ayal I. Sharon | |
| Sheet | 6 | of | 7 | Attorney Docket Number | 018563-004620US | |

| | | NON PATENT LITERATURE DOCUMENTS | |
|--|----|---|----------|
| Initials * No.1 magazine, journal, serial, symposium, catalog, etc | | Include name of the author (In CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T |
| | | KUNII et al., "Articulation Simulation for an Intelligent Dental Care System," Displays 15:181-188 (1994). | |
| | EJ | MANETTI, et al., "Computer-Aided Cefalometry and New Mechanics in Orthodontics," (Article Summary in English, article in German), Fortschr. Kieferorthop. 44, 370-376 (Nr. 5), 1983. | [|
| | EK | MCCANN, "Inside the ADA," J. Amer. Dent. Assoc., 118:286-294 (March 1989). | |
| | EL | MOLES, "Correcting Mild Malalignments - As Easy As One, Two, Three," AOA/Pro Corner, 2 pages. | <u>ר</u> |
| , | EM | PROFFIT <i>et al., Contemporary Orthodontics</i> , (Second Ed.), Chapter 15, Mosby Inc., pp 470- 533 (October 1993). | <u>ן</u> |
| | EN | RAINTREE ESSIX & ARS MATERIALS, INC., Raintree Essix, Technical Magazine Table of contents and Essix Appliances, https://www.essix.com/magazine/default.html Aug. 13, 1997, 7 pages. | |
| | EO | RICHMOND et al., "The Development of the PAR Index (Peer Assessment Rating): Reliability and Validity," Eur. J. Orthod., 14:125-139 (1992). |] |
| | EР | SCHROEDER et al., Eds. The Visual Toolkit, Prentice Hall PTR, New Jersey (1998) Chapters 6, 8 & 9, (pages 153-210,309-354, and 355-428, respectively). | [|
| | EQ | SINCLAIR, "The Readers' Comer," <i>J. Clin. Orthod.</i> , 26(6):369-372 (June 1992). | <u>ן</u> |
| | ER | STURMAN, "Interactive Keyframe Animation of 3-D Articulated Models," Proceedings Graphics Interface '84, May-June 1984, pp. 35-40. | |
| /AS/ | ES | TRUAX L., "Truax Clasp-Less(TM) Appliance System," <i>Funct. Orthod.</i> , 9(5):22-4, 26-8 (September-October 1992). | |

| Examiner Signature | /Ayal Sharon/ | Date Considered | 11/14/2007 |
|-----------------------|---------------|--------------------|------------|

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.

| | Substitute for form 1449B/PTO | | | | Complete if Known | | |
|---|-------------------------------|-------------------------|------------|------|------------------------|--------------------|--|
| | | | | | Application Number | 10/670,162 | |
| | INFO | RMATION DIS | SCLOS | SURE | Filing Date | September 23, 2003 | |
| | STATEMENT BY APPLICANT | | | CANT | First Named Inventor | PAVLOVSKAIA, ELENA | |
| | | | | | Art Unit | 2123 | |
| l | | Use as many sheets as i | necessary) | | Examiner Name | Ayal I. Sharon | |
| | Sheet | 7 | of | 7 | Attorney Docket Number | 018563-004620US | |

| | | NON PATENT LITERATURE DOCUMENTS | | | |
|---|----------------|---|--|--|--|
| Examiner Initials * | Cite No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (box magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | | | |
| /AS/ | ET | TRU-TAIN ORTHODONTIC & DENTAL SUPPLIES, Product Brochure, Rochester, Minnesota 55902, 16 pages total. | | | |
| | EU | WSCG'98 - Conference Program, "The Sixth International Conference in Central Europe on Computer Graphics and Visualization '98," February 9-13, 1998, pp. 1-7, retrieved from the Internet on 11/05/2004, URL http://wscg.zcu.cz/wscg98/wscg98.h . | | | |
| | EV | YOSHII, "Research on a New Orthodontic Appliance: The Dynamic Positioner (D.P.); I. The D.P. Concept and Implementation of Transparent Silicone Resin (Orthocon)," Nippon Dental Review, 452:61-74 (June 1980). | | | |
| | EW | YOSHII, "Research on a New Orthodontic Appliance: The Dynamic Positioner (D.P.); II. The D.P. Manufacturing Procedure and Clinical Applications," <i>Nippon Dental Review</i> , 454:107-130 (August 1980). | | | |
| | EX | YOSHII, "Research on a New Orthodontic Appliance: The Dynamic Positioner (D.P.); III The General Concept of the D.P. Method and its Therapeutic Effect, Part 2. Skeletal Reversed Occlusion Case Reports," <i>Nippon Dental Review</i> , 458:112-129 (December 1980). | | | |
| /AS/ | EY | YOSHII, "Research on a New Orthodontic Appliance: The Dynamic Positioner (D.P.); III. The General Concept of the D.P. Method and Its Therapeutic Effect, Part 1, Dental and Functional Reversed Occlusion Case Reports," Nippon Dental Review, 457:146-164 (November 1980). | | | |
| *************************************** | , | | | | |
| | ************** | | | | |
| | | | | | |

| Examiner Signature | /Ayal Sharon/ | Date Considered | 11/14/2007 |
|-----------------------|---------------|--------------------|------------|

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.